




ALUMITEX
S P E C I F I C A T I O N
V5



A: Headrail End Cap (VC 985)
 B: Cord Lock (VC 945)
 C: Tape Roll (VC 981)
 D: Wall/Ceiling Swivel Bracket (VC 949)
 E: Tiltrod (VC 980)
 F: Installation Bracket (VC 967)
 G: Head rail
 H: Tape Roil Support (VC 982)
 I: Tilter (VC 983)
 J: Ceiling Exit Bracket (VC 943)
 K: End Fix Bracket (VC 984)
 L: W and Hook (VC 961)
 M: Hexagonal Solid W (VC 962)
 N: W and Handle (VC 025)
 O: Bottom Rail Endcap (VC 957)
 P: Hold Down Bracket (VC 964)
 Q: Bottom Rail
 R: Bottom Bar Butt on (VC 966)
 S: Slat
 T: Breakaway Tassel (VC 986)
 U: Venetian Stop Rings (VC 902)
 V: Cord

L: W and Hook (VC 961)
 M: Hexagonal Solid W (VC 962)
 N: W and Handle (VC 025)
 O: Bottom Rail Endcap (VC 957)
 P: Hold Down Bracket (VC 964)
 Q: Bottom Rail
 R: Bottom Bar Butt on (VC 966)
 S: Slat
 T: Breakaway Tassel (VC 986)
 U: Venetian Stop Rings (VC 902)
 V: Cord

ALUMITEX

16MM & 25MM ALUMINIUM VENETIANS SPECIFICATION

SLAT WIDTH	THICKNESS
16mm & 25mm	0.18 - 0.21 microns

LIST OF COLOURS

COLOUR	SLAT SIZE	HEADRAIL/ BOTTOM BAR	CORD/LADDER
9411 (M)	25mm	9411	Mocca
9412 (M)	25mm	9412	Aluminium
Aluminium (M)	16mm & 25mm	Aluminium	Aluminium
Aluminium Filtra (R)	25mm	Aluminium	Aluminium
Anthracite (M)	16mm & 25mm	Anthracite	Anthracite
Apache (M)	25mm	Apache	Mocca
Aqua (M)	25mm	Aqua	Lilac
Armada (M)	25mm	Armada	Black
Atmosphere (M)	25mm	Atmosphere	Vapour
Atomic (M)	25mm	Energy	Energy
Beige (M)	25mm	Beige	Beige
Beryl (R)	25mm	Majestic	Majestic
Black (M)	16mm & 25mm	Sonar	Black
Black Filtra (R)	25mm	Sonar	Black
Bondi (M)	25mm	Bondi	Navy
Boutique (R)	25mm	Flint	Flint
Brushed Aluminium (R)	25mm	Aluminium	Aluminium
Brushed Linen (R)	25mm	Clarity	Cream
Brushed Sand (R)	25mm	Melodi	Cream
Candyfloss (M)	25mm	Candyfloss	Candyfloss
Canton (R)	25mm	Tahiti	Tahiti
Cerise (M)	25mm	Cerise	Cerise
Citrine (M)	25mm	Citrine	Citrine
Clarity (M)	25mm	Clarity	Melodi
Cool Grey (R)	16mm & 25mm	Umbra	Zircon
Coral (M)	25mm	Coral	Coral
Cream (M)	25mm	Melody	Cream
Cream Filtra (R)	25mm	Pasadena	Cream
Drama (R)	25mm	Primary Red	Primary Red
Dream (M)	25mm	Dream	Dream
Ebon (M)	25mm	Ebon	Soul
Echo (R)	25mm	Clarity	Cream
Electra Blue (R)	25mm	Dream	Atlantis
Electra Gold (R)	25mm	Glam	Electra Gold
Emerald (M)	25mm	Emerald	Emerald
Energy (M)	25mm	Energy	Energy
Estrella Abyss (R)	25mm	Aluminium	Aluminium
Estrella Axis (R)	25mm	Aluminium	Aluminium
Estrella Lyra (M)	25mm	Estrella Lyra	Estrella Lyra
Flame (M)	25mm	Flame	Flame
Flint (M)	25mm	Flint	Shadow Grey
Galleria (R)	25mm	Vapour	Vapour
Glam (R)	25mm	Glam	Latte
Gloss (M)	25mm	Vapour	White
Glow (M)	25mm	Glow	Yellow

ALUMITEX

ALUMINIUM VENETIANS SPECIFICATION

COLOUR	SLAT SIZE	HEADRAIL/BOTTOM BAR	CORD/LADDER
Graphite (R)	25mm	Onyx	Black
Gravel (M)	16mm & 25mm	Gravel	Aluminium
Grey Filtra (R)	25mm	Shadow Grey	Aluminium
Hunter (M)	25mm	Hunter	Hunter
Ivory (M)	16mm & 25mm	Clarity	Cream
Jazz (M)	25mm	Jazz	Terracotta
Latino (M)	25mm	Latino	Teracotta
Lilac (M)	25mm	Lilac	Lilac
Litra Coca (R)	25mm	Flint	Flint
Litra Fawn (R)	25mm	Melodi	Cream
Litra Putty (R)	25mm	Beige	Lusso
Lusso (R)	25mm	Clarity	Melodi
Luster (R)	25mm	Glam	Latte
Lyra (M)	25mm	Vela	Vela
Majestic (M)	25mm	Majestic	Majestic
Matt (M)	16mm & 25mm	Vapour	Vapour
Melodi (M)	25mm	Melodi	Melodi
Merle (R)	25mm	Onyx	Black
Mink (M)	25mm	Mink	Mirano
Mintz (M)	25mm	Mintz	Mintz
Mirano (M)	25mm	Mirano	Mirano
Mocca (M)	25mm	Mocca	Mocca
Mono Biscuit (R)	25mm	Clarity	Melodi
Mono Mud (R)	25mm	Flint	Flint
Mono Naco (R)	25mm	Nomad	Shadow Grey
Mono truffle (R)	25mm	Beige	Latte
Navy (M)	25mm	Navy	Navy
Nomad (R)	25mm	Nomad	Shadow Grey
Novella (R)	25mm	Sonar	Black
Ocean (M)	25mm	Ocean	Atlantis
Onyx (M)	25mm	Onyx	Black
Opal (M)	25mm	Opal	Vela
Orion (M)	25mm	Soul	Soul
Pasadena (M)	25mm	Pasadena	Ivory
Pastel Blue (M)	25mm	Pastel Blue	Pastel Blue
Peral (M)	25mm	Pearl	Vapour
Persia (M)	25mm	Persia	Persia
Pistachio (R)	16mm & 25mm	Clarity	Ivory
Porcelain (M)	25mm	Porcelain	Vapour
Powder Green (M)	25mm	Powder Green	Powder Green
Primary Red (M)	25mm	Primary Red	Primary Red
Pulse (M)	25mm	Pulse	Terracotta
Quartz Blue (R)	25mm	Aluminium	Aluminium
Quartz Red (R)	25mm	Aluminium	Aluminium
Rapture Glisten (R)	25mm	Aluminium	Aluminium
Rapture Rebel (R)	25mm	Sonar	Black
Rapture Sonic (R)	25mm	Soul	Soul
Reef (M)	25mm	Reef	Reef

ALUMITEX

ALUMINIUM VENETIANS SPECIFICATION

COLOUR	SLAT SIZE	HEADRAIL/ BOTTOM BAR	CORD/LADDER
Shadow Grey (M)	25mm	Shadow Grey	Shadow Grey
Shelby (M)	25mm	Shelby	Shelby
Sky (M)	25mm	Bondi	Navy
Sonar (M)	25mm	Sonar	Black
Soul (M)	16mm & 25mm	Soul	Soul
Spirit (R)	25mm	Vela	White
Steel Filtra (R)	25mm	Aluminium	Aluminium
Tahiti (M)	25mm	Tahiti	Tahiti
Titanium (R)	16mm & 25mm	Aluminium	Aluminium
Tropic (M)	25mm	Tropic	Tropic
Truth (R)	16mm & 25mm	Vapour	Vapour
Umbra (M)	25mm	Umbra	Zircon
Vanilla (M)	25mm	Melodi	Melodi
Vapour (M)	25mm	Vapour	Vapour
Vela (M)	25mm	Vela	Vela
Vibe Cool Blue (R)	25mm	Pastel blue	Pastel Blue
Vibe Grey (R)	25mm	Atmosphere	Vapour
Vibe Nude (R)	25mm	Vibe Nude	Shadow Grey
Vibe Silver (R)	25mm	Aluminium	Aluminium
Vibe Trance (R)	25mm	Sonar	Black
Vibe Yellow (R)	25mm	Yellow	Yellow
Vitale (R)	16mm & 25mm	Nomad	Aluminium
White Filtra (R)	25mm	Vapour	White
Yellow (M)	25mm	Yellow	Yellow
Zephyr (R)	25mm	Melodi	Melodi
Zircon (R)	25mm	Soul	Soul
Zora Barley (R)	25mm	Clarity	Cream
Zora Coco (R)	25mm	Vibe Nude	Flint
Zora Haze (R)	25mm	Beige	Beige
9401 (M)	25mm	9401 / 9406	Electria Gold
9403 (M)	25mm	9403 / 9407	Terracotta
9404 (M)	25mm	9404	Mirano
9405 (M)	25mm	9405	Latte
9406 (M)	25mm	9401 / 9406	Electra Gold
9407 (M)	25mm	9403 / 9407	Terracotta
9408 (M)	25mm	9408	Mocca
9409 (M)	25mm	9405	Latte
9410 (M)	25mm	9410	White

COLOUR COORDINATION

- Head rail and bottom bars are colour co-ordinated.
- Blinds manufactured with slats marked 'M' will have colour matching head rail, bottom bar and cords/ladders.
- Blinds manufactured with slats marked 'R' will have the nearest available colour for head rail and bottom rail.
- Standard Tassel: Clear plastic.

MIXED SLAT FINISHES

- Alumitex® is available with a mixed slat finish.
- Surcharge for mixed slats
- A waiver must be signed for non-standard requests

DIMENSIONS

SLAT SIZE	HEAD RAIL SIZE	BOTTOM RAIL SIZE
16mm	19mm x 27mm	10mm x 19mm
25mm	24mm x 25mm	11mm x 25mm

SLAT SIZE	MINIMUM WIDTH	MAXIMUM WIDTH
16mm	210mm	1800mm
25mm	210mm	4000mm

SLAT SIZE	MINIMUM DROP	MAXIMUM DROP
16mm	120mm	3050mm
25mm	150mm	4000mm

CONTROLS

RAISE CONTROL	Right hand side (standard)
TIILT CONTROL	Left hand side (standard)
TIILT OPTION	Clear wand

Up to 225mm wide will have no control applicable.
226 - 455mm can have standard or opposite controls.
456+ can have same side controls.



NUMBER OF LADDERS PER 16MM BLIND

BLIND WIDTH	NUMBER OF LADDERS
Up to 675mm	2
676mm - 1050mm	3
1051mm - 1425mm	4
1426mm - 1800mm	5

NUMBER OF LADDERS PER 25MM BLIND

BLIND WIDTH	NUMBER OF LADDERS
Up to 850mm	2
851mm - 1400mm	3
1401mm - 1950mm	4
1951mm - 2500mm	5
2501mm +	6

BRACKETS

- Aluminium venetian blinds come with 1 bracket per ladder.

BRACKET	OPTION TYPE	FITTING TYPE
VC967 - Installation Bracket	Standard	Top fix / Face fix
VC949 - Ceiling Bracket	Optional	Top fix / Face fix
VC984 - End Fix Bracket	Optional	End Fix
VC943 - Extension Bracket	Optional	Face Fix



VC025 - Wand Handle



VC962 - Solid Wand



VC961 - Wand Hook



VC983 - Tilter



VC967 - Installation Bracket



VC949 - Ceiling Bracket



VC984 - End Fix Bracket



VC943 - Extension Bracket
Min extension - 74mm, Max extension 110mm

Hold down brackets are used to attach the bottom of the blind to a window or door to prevent it from swinging to and fro. There is a small hole on either end of the bottom bar. The hold down bracket is attached to the door with two screws then the tips of the brackets are inserted to the holes on the bottom bar.

STACKING HEIGHT

The stacking height of a blind refers to the measurement from top to bottom when the blind is fully pulled up. These stacking heights should be treated as advice only. There is a slight variance in the slat thickness and in how the slats pack with the ladder therefore each individual blind will be different.

BLIND DROP (MM)	STACKING HEIGHT (MM)
500	55
750	60
1000	70
1250	75
1500	85
1750	90
2000	100
2250	105
2500	110
2750	120
3000	125
3250	135
3500	140



CHILD SAFETY

All Alumitex® venetians are child safe compliant. All blinds come with a breakaway safety tassel, cord stop rings and 2-piece cleat. The safety cleat is used to wrap the cord around to keep out of children's reach.

CORD LENGTHS & INSTALLATION HEIGHTS

- If the installation height is known, the distance from the floor to bottom of pull cords shall be at least 1.5m.
- If the installation height is not known but the drop of the blind is less than 2.5m, the length of the pull cords shall be less than 1m.
- If the installation height is not known but the drop of the blind is more than 2.5m, the length of pull cords shall be less than drop of the blind minus 1.5m.

BLIND TYPE	MINIMUM CONTROL LENGTH (MM)	DEDUCTION MADE WHEN INSTALLATION HEIGHT PROVIDED (MM)	MIMIMUM INSTALL HeiGHT (MM)
25mm Aluminium	150	1500	1650

For example: For a 25mm Aluminium blind which has an installation height of 3000mm the controls will be 1500mm. Note the wand will be made to the same size as the cords.

Aluminium blinds are produced within a tolerance of +/-3mm width and +/-5mm drop

MOTRISATION

- Alumitex venetian blinds can be motorised to offer ultimate convenience of light control and privacy in the home. At the touch of a button you can raise, lower and tilt your blinds, especially convenient for blinds in hard to reach places.
- *Only available on 25mm slats without tapes.

SOMFY TILT & LIFT 25 RTS

A radio controlled battery powered motor suitable for small to medium blinds up to 1800mm wide and 2000mm drop. Somfy Tilt and Lift 25 RTS allows blinds to be raised, lowered and tilted with ease.

- Voltage - 12V DC
- Power - 9V DC - 14 DC
- Torque - 0.8Nm
- Radio Frequency - 433,43 MHz
- Width - 450mm - 2000mm
- Drop - 150mm - 2000mm

ALUMITEX